

YOU'LL BE SMILING, TOO.



- BROAD FLEXIBILITY
- TRUSTED SECURITY
- UNMATCHED SUPPORT
- PROVEN RELIABILITY
- COMPETITIVE PRICING



L | O | G | I | C™

medeco[®]
HIGH SECURITY LOCKS

PK-120071
LT-922106-25 Rev B
© 2007 Medeco Security Locks, Inc.
www.medeco.com
800-839-3157

Digital Masterkeying



- Digital keys and digital cylinders reprogram for instant changes
- Audit trails increase accountability
- Custom schedules reduce risks
- Lost keys are simply deactivated
- Complete flexibility and functionality
- Product family includes Rim, Mortise, KIK cylinders, deadbolts, padlocks, and cam locks



CLIQ

Needs & Applications



Profile Needs

- Flexibility
- Speed
- Security
- Control
- Accountability
- Convenience
- Aesthetics
- Affordable

Ideal Applications

- Commercial Facilities
- Data Processing Centers
- Distribution and Warehousing
- Educational
- Industrial and Light Manufacturing
- Local Government
- Outpatient Medical
- Restaurants
- Retail

Simple Installation

- No wiring required
- No other hardware required
- No hardware modifications
- Leverage existing hardware
- Maintain fire ratings
- Significant installation time/cost savings
- Plug and play
- Every system custom produced



CLIQ

L | O | G | I | C

Easy System Management

- End-user or dealer managed
- End-user can reprogram 24/7/365
- Easy-to-use system software and programming device
- Complete record management
- Offers control, convenience, and security



Logic Digital Key



- Mechanical and Electronic Security
- Patented Key Control
- Program Permissions/Schedules To Either Key Or Cylinder
- Up To 1,000 Audit Events
- Compact Size
- Reversible Key (Face-Up or Face-Down)
- Rated For -22F to 122F
- Easy To Read Status Screen
- Water Resistant
- 2 year or 20,000 Cycle Battery
- Quick and Low Cost Battery Replacement



Logic Digital Cylinder

Program Permissions/Schedules
To Either Key Or Cylinder

Program 1,000 Authorized
Keys/Groups Per Cylinder*

Up To 750 Audit Events

No Wiring Required

Combines Mechanical
and Electronic Security

Fits Narrow Stile Doors

No Additional Door
Hardware Required

No Door Hardware
Modifications Required



Easy To Maintain
Power Free Cylinders

Optional Hardened Steel Nose

Installs In Minutes

Available In Most
Standard Finishes

KIK, Rim, and Mortise Styles



* Up to 65,535 Users Per System

Specs & Comparisons



Technical Specs

Encryption	64-Bit DES
Patented Key Control	Yes
System Management	Dealer or End-User Managed
Typical Installation Time	< 5 Minutes/Cylinder (Plug & Play)
Electricity	None Required
Additional Door Hardware	None Required
Modification To Door Hardware	None Required
Battery	Lithium Battery CR2025
Battery Life	20,000 Cycles/2 years
Finishes	Most Common Available
Warranty	2 Years Against Manufacturer's Defects
Weather Protection	-22° F to 122° F

Keys	Expiration	Activation	Schedule	Audit Trail	Cylinders	Tasks	Notes
Standard Key	✓	✓	✓	100 Events			Prog. @ Cyl.
Visitor Key	✓	✓	✓	1000 Events	1,500 Cyl. Prog.		Prog. @ Host
*Prog. Key				2000 Events		1,500 Tasks	Prog. @ Host

* Does not open cylinder

of Programmed Keys

Audit Records

Cylinder	Authorized Keys	Unauthorized Keys	Internal Audit	Foreign Audit
All formats	1,000	1,500	750	5

Market Comparisons

	EAC	Standalone	LOGIC ^{CLIQ}	Mechanical-only
Cost	\$\$\$\$	\$\$\$	\$	\$
Installation Cost	\$\$\$\$	\$\$\$	\$	\$
Leverages Existing Hardware	No	No	Yes	Yes
Narrow Stile Doors	No	No	Yes	Yes
Hybrid Security	No	No	Yes	No
Audit Trails	Yes	Yes	Yes	No
Program Schedules	Yes	Yes	Yes	No
Maintains Security As System Grows	Yes	Yes	Yes	No

