

AutoGUARD[®]

MOTION TRACKER

AVAILABLE IN 150 OR 300 WATTS



GMSA150-WH




FEATURES & BENEFITS

- Aluminum and molded polycarbonate construction
- Microprocessor controlled auto tracking head
- *Detection Method* – Passive Infrared Sensor (PIS) will detect and track motion in a zone and send a wireless signal that will activate your alarm and track movement in the detected zone
- Halogen bulb included (150W or 300W J-Type)
- 120V AC
- Multi-sensor technology (3 different sensors)
- Push-button for programmable functions:
 - 1) *Energy Saving Mode* – Factory setting is programmed to the Energy Saving Mode. Light will not turn on during daylight hours. With a built-in photocell light will turn on at dusk when fixture detects heat/motion. It will send a wireless signal to your alarm. Light will turn off after 3 minutes of undetected motion.
 - 2) *Optional 24-hour Mode* – Light will turn on during daylight hours, fixture will track motion, light will turn off after 3 minutes of undetected motion
- Energy saving / 24-Hour mode button located on bottom of fixture
- Detection range: 220° x 10M
- Min. operating temperature: Fixture & tracking capability -30°C
- Mounts directly to a regular octagon box
- Built-in PHOTOCELL preset to ENERGY SAVING MODE
- Available in White or Black finish

REMOTE WIRELESS ALARM

- When the Motion Sensor light detects movement it will turn on and activate the remote wireless alarm
- Plastic construction
- Volume control for alarm
- Low battery indicator
- Alarm on time: 30 seconds
- Batteries required: 4 AA (not included)

BONUS
Wireless Alarm



TOTAL DETECTION RANGE



78mm linear halogen lamp (150W)



Part #	Description	Case Qty.	List Price
GMSA150-BK	AutoGuard fixture with Wireless Alarm, 150W, 120V, Black	4	\$179.98
GMSA150-WH	AutoGuard fixture with Wireless Alarm, 150W, 120V, White	4	\$179.98
GMSA300-BK	AutoGuard fixture with Wireless Alarm, 300W, 120V, Black	4	\$199.98
GMSA300-WH	AutoGuard fixture with Wireless Alarm, 300W, 120V, White	4	\$199.98



220° TOTAL DETECTION AREA



Pre-Lock Security Services Inc.
 800 Petrolia Road, Unit 4
 North York, Ontario M3J 3K4
 Tel: (416) PRE-LOCK (736-8383)
 Fax: (416) 633-5852
 Website: <http://www.pre-lock.com>

"REAL SECURITY UNDER LOCK & KEY"

Manufactured by **LITELINE**

REV-01.06.10

AutoGUARD[®]

MOTION TRACKER WITH CAMERA

AVAILABLE IN 150 OR 300 WATTS




TV / PC WIRELESS RECEIVER

- 4 Channels available to avoid interference
- Power Supply: +5V DC
- Video can be transmitted and recorded to a computer using the USB cable, or viewed on a television using the video cable (included)
- Transmission range: 75 meters
- Consumption Current (max.): 190mA
- Unobstructed effective range: 75m (min.)
- Monitor up to 4 light fixtures from one receiver



FEATURES & BENEFITS

- Aluminum and molded polycarbonate construction
- Microprocessor controlled auto tracking head with a 2.4GHz camera and the receiver. A 60° view angle and 220° x 10M Passive Infrared Sensor range. 4 Channels are available to avoid interference
- *Detection Method* – Passive Infrared Sensor (PIS) will detect and track motion in a zone and send a wireless signal that will activate your alarm and track movement in the detected zone
- With the included wireless receiver, view or record images/videos to a computer or TV. Camera software and USB cables are provided. Compatible with Windows Vista, XP etc.
- Halogen bulb included (150W or 300W J-Type)
- 120V AC
- Multi-sensor technology (3 different sensors)
- Push-button for programmable functions:
 - 1) *Energy Saving Mode* – Factory setting is programmed to the Energy Saving Mode. Light will not turn on during daylight hours, fixture will track motion, Light will turn off after 3 minutes of undetected motion
 - 2) *Optional 24-hour Mode* – Light will turn on during daylight hours, fixture will track motion, light will turn off after 3 minutes of undetected motion
- Light will turn off after 3 minutes of no detection
- Energy saving / 24-Hour mode button located on bottom of fixture
- Min. operating temperature: Fixture & tracking capability -30°C
- Mounts directly to a regular octagon box
- Built-in PHOTOCELL with Energy Saving mode and 24-Hour mode
- Available in White or Black finish



TOTAL DETECTION RANGE



18mm linear halogen lamp (300W)

Part #	Description	Case Qty.	List Price
GMSCR150-BK	AutoGuard fixture with Camera, Wireless TV/PC Receiver, 150W, 120V, Black Finish	4	\$399.98
GMSCR150-WH	AutoGuard fixture with Camera, Wireless TV/PC Receiver, 150W, 120V, White Finish	4	\$399.98
GMSCR300-BK	AutoGuard fixture with Camera, Wireless TV/PC Receiver, 300W, 120V, Black Finish	4	\$419.98
GMSCR300-WH	AutoGuard fixture with Camera, Wireless TV/PC Receiver, 300W, 120V, White Finish	4	\$419.98



220° TOTAL DETECTION AREA



Pre-Lock Security Services Inc.
 800 Petrolia Road, Unit 4
 North York, Ontario M3J 3K4
 Tel: (416) PRE-LOCK (736-8383)
 Fax: (416) 633-5852
 Website: <http://www.pre-lock.com>

"REAL SECURITY UNDER LOCK & KEY"

Manufactured by **LITELINE**

REV-01.06.10

AutoGUARD[®]

MOTION TRACKER

UPGRADE ACCESSORIES

AUTOGUARD MOTION TRACKER WITH CAMERA

- Aluminum and molded polycarbonate construction
- Microprocessor controlled auto tracking head with 2.4GHz camera.
- A 60° view angle and 220° x 10M Passive Infrared Sensor range. 4 Channels are available to avoid interference
- *Detection Method* – Passive Infrared Sensor (PIS) will detect and track heat/motion in the detected zone
- Halogen bulb included (150W or 300W J-Type)
- Light will turn off after 3 minutes of no detection
- Energy saving / 24-Hour mode button located on bottom of fixture
- Built-in PHOTOCCELL with Energy Saving mode and 24-Hour mode
- Available in 150W or 300W, White or Black finish



GMSC

WIRELESS TV RECEIVER WITH SD CARD

- 4 Channels available to avoid interference
- Video can be transmitted and viewed on a television
- Power Supply: +5V DC
- SD memory card slot for easy recording (SD card included)
- Record up to 2 hours of video, or 4000 images on a 1GB SD card
- Supports AVI and JPEG Formats
- Transmission range: 75 meters
- Consumption Current (max.): 190mA
- Unobstructed effective range: 75m (min.)
- Monitor up to 4 light fixtures from one wireless receiver



GMSR1

HAND-HELD LCD MONITOR

- Palm sized receiver for mobile usage
- SD card slot for easy recording (SD card included)
- Record up to 2 hours of video, or 4000 images on a 1GB SD card
- 2.5" LCD screen for 480 x 240 resolution
- Video System: NTSC / PAL
- View/download to a computer using the USB cable
- Compatible with current versions of Windows[®] (98, XP, Vista)
- View on your television using the video cable (included)
- Supports AVI and JPEG Formats
- Rechargeable lithium battery in receiver, enables at least 4 hours of continuous usage
- 4 channels available to avoid interference
- Monitor up to 4 light fixtures from one wireless hand-held device
- 120V Charger included



GMSL

TV / PC WIRELESS RECEIVER

- 4 Channels available to avoid interference
- Power Supply: +5V DC
- Video can be transmitted and recorded to a computer using the USB cable, or viewed on a television using the video cable (included)
- Compatible with current versions of Windows[®] (98, XP, Vista)
- Transmission range: 75 meters
- Consumption Current (max.): 190mA
- Unobstructed effective range: 75m (min.)
- Monitor up to 4 light fixtures from one wireless receiver



GMSR

The Wireless Hand-held LCD Monitor, and Wireless TV Receiver with SD card are accessories designed to work with AutoGuard fixtures with built-in cameras.

Part #	Description	Case Qty.	List Price
GMSC150-BK	AutoGuard Motion Tracker with 2.4 GHz Camera, 150W, 120V, Black	4	\$319.98
GMSC150-WH	AutoGuard Motion Tracker with 2.4 GHz Camera, 150W, 120V, White	4	\$319.98
GMSC300-BK	AutoGuard Motion Tracker with 2.4 GHz Camera, 300W, 120V, Black	4	\$339.98
GMSC300-WH	AutoGuard Motion Tracker with 2.4 GHz Camera, 300W, 120V, White	4	\$339.98
GMSR	Wireless TV/PC Receiver	12	\$179.98
GMSR1	Wireless TV Receiver with SD card	12	\$259.98
GMSL	Wireless Hand-held LCD Monitor	12	\$359.98



Pre-Lock Security Services Inc.
 800 Petrolia Road, Unit 4
 North York, Ontario M3J 3K4
 Tel: (416) PRE-LOCK (736-8383)
 Fax: (416) 633-5852
 Website: <http://www.pre-lock.com>

"REAL SECURITY UNDER LOCK & KEY"

Manufactured by **LITELINE**

REV-01.06.10